

# Soustraire Deux Fractions Mixtes (A)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 4\frac{5}{8} - 3\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

Conversion ↑      Résoudre      Simplifier      Conversion ↓

$$2. \quad 4\frac{5}{7} - 1\frac{5}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$3. \quad 10\frac{2}{3} - 8\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$4. \quad 9\frac{8}{9} - 3\frac{2}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$5. \quad 9\frac{4}{6} - 3\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$6. \quad 8\frac{1}{2} - 6\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$7. \quad 9\frac{2}{3} - 5\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \quad 10\frac{2}{9} - 2\frac{2}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$9. \quad 6\frac{6}{8} - 2\frac{2}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$10. \quad 8\frac{1}{4} - 4\frac{3}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

## Soustraire Deux Fractions Mixtes (A) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 4\frac{5}{8} - 3\frac{1}{8} = \frac{37}{8} - \frac{25}{8} = \frac{12}{8} = \frac{3}{2} = 1\frac{1}{2}$$

$$2. \quad 4\frac{5}{7} - 1\frac{5}{7} = \frac{33}{7} - \frac{12}{7} = \frac{21}{7} = \frac{3}{1} = 3$$

$$3. \quad 10\frac{2}{3} - 8\frac{2}{3} = \frac{32}{3} - \frac{26}{3} = \frac{6}{3} = \frac{2}{1} = 2$$

$$4. \quad 9\frac{8}{9} - 3\frac{2}{9} = \frac{89}{9} - \frac{29}{9} = \frac{60}{9} = \frac{20}{3} = 6\frac{2}{3}$$

$$5. \quad 9\frac{4}{6} - 3\frac{1}{6} = \frac{58}{6} - \frac{19}{6} = \frac{39}{6} = \frac{13}{2} = 6\frac{1}{2}$$

$$6. \quad 8\frac{1}{2} - 6\frac{1}{2} = \frac{17}{2} - \frac{13}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$7. \quad 9\frac{2}{3} - 5\frac{2}{3} = \frac{29}{3} - \frac{17}{3} = \frac{12}{3} = \frac{4}{1} = 4$$

$$8. \quad 10\frac{2}{9} - 2\frac{2}{9} = \frac{92}{9} - \frac{20}{9} = \frac{72}{9} = \frac{8}{1} = 8$$

$$9. \quad 6\frac{6}{8} - 2\frac{2}{8} = \frac{54}{8} - \frac{18}{8} = \frac{36}{8} = \frac{9}{2} = 4\frac{1}{2}$$

$$10. \quad 8\frac{1}{4} - 4\frac{3}{4} = \frac{33}{4} - \frac{19}{4} = \frac{14}{4} = \frac{7}{2} = 3\frac{1}{2}$$

## Soustraire Deux Fractions Mixtes (B)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $6\frac{3}{5} - 4\frac{3}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $8\frac{1}{3} - 3\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $10\frac{5}{6} - 2\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $10\frac{3}{6} - 4\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $4\frac{3}{6} - 2\frac{5}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $5\frac{5}{6} - 4\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $7\frac{1}{8} - 2\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $8\frac{2}{3} - 5\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $7\frac{3}{6} - 5\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $9\frac{1}{3} - 2\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Soustraire Deux Fractions Mixtes (B) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 6\frac{3}{5} - 4\frac{3}{5} = \frac{33}{5} - \frac{23}{5} = \frac{10}{5} = \frac{2}{1} = 2$$

$$2. \quad 8\frac{1}{3} - 3\frac{1}{3} = \frac{25}{3} - \frac{10}{3} = \frac{15}{3} = \frac{5}{1} = 5$$

$$3. \quad 10\frac{5}{6} - 2\frac{2}{6} = \frac{65}{6} - \frac{14}{6} = \frac{51}{6} = \frac{17}{2} = 8\frac{1}{2}$$

$$4. \quad 10\frac{3}{6} - 4\frac{1}{6} = \frac{63}{6} - \frac{25}{6} = \frac{38}{6} = \frac{19}{3} = 6\frac{1}{3}$$

$$5. \quad 4\frac{3}{6} - 2\frac{5}{6} = \frac{27}{6} - \frac{17}{6} = \frac{10}{6} = \frac{5}{3} = 1\frac{2}{3}$$

$$6. \quad 5\frac{5}{6} - 4\frac{1}{6} = \frac{35}{6} - \frac{25}{6} = \frac{10}{6} = \frac{5}{3} = 1\frac{2}{3}$$

$$7. \quad 7\frac{1}{8} - 2\frac{1}{8} = \frac{57}{8} - \frac{17}{8} = \frac{40}{8} = \frac{5}{1} = 5$$

$$8. \quad 8\frac{2}{3} - 5\frac{2}{3} = \frac{26}{3} - \frac{17}{3} = \frac{9}{3} = \frac{3}{1} = 3$$

$$9. \quad 7\frac{3}{6} - 5\frac{1}{6} = \frac{45}{6} - \frac{31}{6} = \frac{14}{6} = \frac{7}{3} = 2\frac{1}{3}$$

$$10. \quad 9\frac{1}{3} - 2\frac{1}{3} = \frac{28}{3} - \frac{7}{3} = \frac{21}{3} = \frac{7}{1} = 7$$

## Soustraire Deux Fractions Mixtes (C)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $9\frac{4}{6} - 8\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $4\frac{2}{6} - 2\frac{5}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $4\frac{7}{8} - 1\frac{3}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $6\frac{2}{3} - 3\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $6\frac{2}{4} - 1\frac{2}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $5\frac{1}{2} - 3\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $5\frac{3}{7} - 3\frac{3}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $10\frac{6}{8} - 7\frac{6}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $10\frac{1}{6} - 8\frac{3}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $4\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Soustraire Deux Fractions Mixtes (C) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 9\frac{4}{6} - 8\frac{1}{6} = \frac{58}{6} - \frac{49}{6} = \frac{9}{6} = \frac{3}{2} = 1\frac{1}{2}$$

$$2. \quad 4\frac{2}{6} - 2\frac{5}{6} = \frac{26}{6} - \frac{17}{6} = \frac{9}{6} = \frac{3}{2} = 1\frac{1}{2}$$

$$3. \quad 4\frac{7}{8} - 1\frac{3}{8} = \frac{39}{8} - \frac{11}{8} = \frac{28}{8} = \frac{7}{2} = 3\frac{1}{2}$$

$$4. \quad 6\frac{2}{3} - 3\frac{2}{3} = \frac{20}{3} - \frac{11}{3} = \frac{9}{3} = \frac{3}{1} = 3$$

$$5. \quad 6\frac{2}{4} - 1\frac{2}{4} = \frac{26}{4} - \frac{6}{4} = \frac{20}{4} = \frac{5}{1} = 5$$

$$6. \quad 5\frac{1}{2} - 3\frac{1}{2} = \frac{11}{2} - \frac{7}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$7. \quad 5\frac{3}{7} - 3\frac{3}{7} = \frac{38}{7} - \frac{24}{7} = \frac{14}{7} = \frac{2}{1} = 2$$

$$8. \quad 10\frac{6}{8} - 7\frac{6}{8} = \frac{86}{8} - \frac{62}{8} = \frac{24}{8} = \frac{3}{1} = 3$$

$$9. \quad 10\frac{1}{6} - 8\frac{3}{6} = \frac{61}{6} - \frac{51}{6} = \frac{10}{6} = \frac{5}{3} = 1\frac{2}{3}$$

$$10. \quad 4\frac{1}{2} - 1\frac{1}{2} = \frac{9}{2} - \frac{3}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

## Soustraire Deux Fractions Mixtes (D)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $8\frac{1}{2} - 5\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $9\frac{2}{9} - 5\frac{2}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $6\frac{3}{4} - 5\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $6\frac{1}{4} - 3\frac{3}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $8\frac{1}{3} - 2\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $6\frac{1}{2} - 3\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $3\frac{7}{8} - 2\frac{3}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $7\frac{1}{9} - 2\frac{7}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $4\frac{1}{3} - 1\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $6\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Soustraire Deux Fractions Mixtes (D) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 8\frac{1}{2} - 5\frac{1}{2} = \frac{17}{2} - \frac{11}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$2. \quad 9\frac{2}{9} - 5\frac{2}{9} = \frac{83}{9} - \frac{47}{9} = \frac{36}{9} = \frac{4}{1} = 4$$

$$3. \quad 6\frac{3}{4} - 5\frac{1}{4} = \frac{27}{4} - \frac{21}{4} = \frac{6}{4} = \frac{3}{2} = 1\frac{1}{2}$$

$$4. \quad 6\frac{1}{4} - 3\frac{3}{4} = \frac{25}{4} - \frac{15}{4} = \frac{10}{4} = \frac{5}{2} = 2\frac{1}{2}$$

$$5. \quad 8\frac{1}{3} - 2\frac{1}{3} = \frac{25}{3} - \frac{7}{3} = \frac{18}{3} = \frac{6}{1} = 6$$

$$6. \quad 6\frac{1}{2} - 3\frac{1}{2} = \frac{13}{2} - \frac{7}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$7. \quad 3\frac{7}{8} - 2\frac{3}{8} = \frac{31}{8} - \frac{19}{8} = \frac{12}{8} = \frac{3}{2} = 1\frac{1}{2}$$

$$8. \quad 7\frac{1}{9} - 2\frac{7}{9} = \frac{64}{9} - \frac{25}{9} = \frac{39}{9} = \frac{13}{3} = 4\frac{1}{3}$$

$$9. \quad 4\frac{1}{3} - 1\frac{1}{3} = \frac{13}{3} - \frac{4}{3} = \frac{9}{3} = \frac{3}{1} = 3$$

$$10. \quad 6\frac{1}{2} - 1\frac{1}{2} = \frac{13}{2} - \frac{3}{2} = \frac{10}{2} = \frac{5}{1} = 5$$



## Soustraire Deux Fractions Mixtes (E)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $5\frac{2}{3} - 3\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $10\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $10\frac{1}{2} - 2\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $7\frac{2}{5} - 3\frac{2}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $8\frac{3}{8} - 1\frac{7}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} \quad \underline{\quad}$

6.  $7\frac{1}{2} - 3\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $9\frac{5}{6} - 6\frac{5}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $10\frac{3}{6} - 4\frac{3}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $7\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $7\frac{3}{4} - 2\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} \quad \underline{\quad}$

## Soustraire Deux Fractions Mixtes (E) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 5\frac{2}{3} - 3\frac{2}{3} = \frac{17}{3} - \frac{11}{3} = \frac{6}{3} = \frac{2}{1} = 2$$

$$2. \quad 10\frac{1}{2} - 1\frac{1}{2} = \frac{21}{2} - \frac{3}{2} = \frac{18}{2} = \frac{9}{1} = 9$$

$$3. \quad 10\frac{1}{2} - 2\frac{1}{2} = \frac{21}{2} - \frac{5}{2} = \frac{16}{2} = \frac{8}{1} = 8$$

$$4. \quad 7\frac{2}{5} - 3\frac{2}{5} = \frac{37}{5} - \frac{17}{5} = \frac{20}{5} = \frac{4}{1} = 4$$

$$5. \quad 8\frac{3}{8} - 1\frac{7}{8} = \frac{67}{8} - \frac{15}{8} = \frac{52}{8} = \frac{13}{2} = 6\frac{1}{2}$$

$$6. \quad 7\frac{1}{2} - 3\frac{1}{2} = \frac{15}{2} - \frac{7}{2} = \frac{8}{2} = \frac{4}{1} = 4$$

$$7. \quad 9\frac{5}{6} - 6\frac{5}{6} = \frac{59}{6} - \frac{41}{6} = \frac{18}{6} = \frac{3}{1} = 3$$

$$8. \quad 10\frac{3}{6} - 4\frac{3}{6} = \frac{63}{6} - \frac{27}{6} = \frac{36}{6} = \frac{6}{1} = 6$$

$$9. \quad 7\frac{1}{2} - 1\frac{1}{2} = \frac{15}{2} - \frac{3}{2} = \frac{12}{2} = \frac{6}{1} = 6$$

$$10. \quad 7\frac{3}{4} - 2\frac{1}{4} = \frac{31}{4} - \frac{9}{4} = \frac{22}{4} = \frac{11}{2} = 5\frac{1}{2}$$

## Soustraire Deux Fractions Mixtes (F)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $10\frac{3}{9} - 4\frac{3}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $9\frac{4}{6} - 3\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $10\frac{7}{9} - 5\frac{1}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $7\frac{1}{2} - 2\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $3\frac{1}{3} - 1\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $7\frac{3}{9} - 1\frac{3}{9} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $8\frac{1}{5} - 6\frac{1}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $3\frac{5}{8} - 2\frac{3}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $3\frac{5}{8} - 1\frac{5}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $10\frac{1}{3} - 4\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Soustraire Deux Fractions Mixtes (F) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 10\frac{3}{9} - 4\frac{3}{9} = \frac{93}{9} - \frac{39}{9} = \frac{54}{9} = \frac{6}{1} = 6$$

$$2. \quad 9\frac{4}{6} - 3\frac{1}{6} = \frac{58}{6} - \frac{19}{6} = \frac{39}{6} = \frac{13}{2} = 6\frac{1}{2}$$

$$3. \quad 10\frac{7}{9} - 5\frac{1}{9} = \frac{97}{9} - \frac{46}{9} = \frac{51}{9} = \frac{17}{3} = 5\frac{2}{3}$$

$$4. \quad 7\frac{1}{2} - 2\frac{1}{2} = \frac{15}{2} - \frac{5}{2} = \frac{10}{2} = \frac{5}{1} = 5$$

$$5. \quad 3\frac{1}{3} - 1\frac{1}{3} = \frac{10}{3} - \frac{4}{3} = \frac{6}{3} = \frac{2}{1} = 2$$

$$6. \quad 7\frac{3}{9} - 1\frac{3}{9} = \frac{66}{9} - \frac{12}{9} = \frac{54}{9} = \frac{6}{1} = 6$$

$$7. \quad 8\frac{1}{5} - 6\frac{1}{5} = \frac{41}{5} - \frac{31}{5} = \frac{10}{5} = \frac{2}{1} = 2$$

$$8. \quad 3\frac{5}{8} - 2\frac{3}{8} = \frac{29}{8} - \frac{19}{8} = \frac{10}{8} = \frac{5}{4} = 1\frac{1}{4}$$

$$9. \quad 3\frac{5}{8} - 1\frac{5}{8} = \frac{29}{8} - \frac{13}{8} = \frac{16}{8} = \frac{2}{1} = 2$$

$$10. \quad 10\frac{1}{3} - 4\frac{1}{3} = \frac{31}{3} - \frac{13}{3} = \frac{18}{3} = \frac{6}{1} = 6$$

## Soustraire Deux Fractions Mixtes (G)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $6\frac{1}{2} - 4\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $8\frac{2}{6} - 1\frac{4}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $10\frac{2}{3} - 1\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $10\frac{1}{5} - 3\frac{1}{5} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $9\frac{3}{4} - 7\frac{3}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $10\frac{5}{7} - 3\frac{5}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $7\frac{2}{6} - 4\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $6\frac{2}{6} - 1\frac{4}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $9\frac{1}{4} - 6\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $9\frac{1}{8} - 6\frac{7}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Soustraire Deux Fractions Mixtes (G) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 6\frac{1}{2} - 4\frac{1}{2} = \frac{13}{2} - \frac{9}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$2. \quad 8\frac{2}{6} - 1\frac{4}{6} = \frac{50}{6} - \frac{10}{6} = \frac{40}{6} = \frac{20}{3} = 6\frac{2}{3}$$

$$3. \quad 10\frac{2}{3} - 1\frac{2}{3} = \frac{32}{3} - \frac{5}{3} = \frac{27}{3} = \frac{9}{1} = 9$$

$$4. \quad 10\frac{1}{5} - 3\frac{1}{5} = \frac{51}{5} - \frac{16}{5} = \frac{35}{5} = \frac{7}{1} = 7$$

$$5. \quad 9\frac{3}{4} - 7\frac{3}{4} = \frac{39}{4} - \frac{31}{4} = \frac{8}{4} = \frac{2}{1} = 2$$

$$6. \quad 10\frac{5}{7} - 3\frac{5}{7} = \frac{75}{7} - \frac{26}{7} = \frac{49}{7} = \frac{7}{1} = 7$$

$$7. \quad 7\frac{2}{6} - 4\frac{2}{6} = \frac{44}{6} - \frac{26}{6} = \frac{18}{6} = \frac{3}{1} = 3$$

$$8. \quad 6\frac{2}{6} - 1\frac{4}{6} = \frac{38}{6} - \frac{10}{6} = \frac{28}{6} = \frac{14}{3} = 4\frac{2}{3}$$

$$9. \quad 9\frac{1}{4} - 6\frac{1}{4} = \frac{37}{4} - \frac{25}{4} = \frac{12}{4} = \frac{3}{1} = 3$$

$$10. \quad 9\frac{1}{8} - 6\frac{7}{8} = \frac{73}{8} - \frac{55}{8} = \frac{18}{8} = \frac{9}{4} = 2\frac{1}{4}$$

## Soustraire Deux Fractions Mixtes (H)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 8\frac{5}{8} - 5\frac{7}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$2. \quad 6\frac{5}{8} - 5\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$3. \quad 7\frac{1}{2} - 2\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$4. \quad 9\frac{1}{2} - 7\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$5. \quad 7\frac{1}{2} - 5\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$6. \quad 8\frac{3}{4} - 5\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$7. \quad 3\frac{1}{2} - 1\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$8. \quad 10\frac{1}{2} - 8\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$9. \quad 7\frac{2}{4} - 4\frac{2}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

$$10. \quad 10\frac{3}{7} - 8\frac{3}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$$

## Soustraire Deux Fractions Mixtes (H) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 8\frac{5}{8} - 5\frac{7}{8} = \frac{69}{8} - \frac{47}{8} = \frac{22}{8} = \frac{11}{4} = 2\frac{3}{4}$$

$$2. \quad 6\frac{5}{8} - 5\frac{1}{8} = \frac{53}{8} - \frac{41}{8} = \frac{12}{8} = \frac{3}{2} = 1\frac{1}{2}$$

$$3. \quad 7\frac{1}{2} - 2\frac{1}{2} = \frac{15}{2} - \frac{5}{2} = \frac{10}{2} = \frac{5}{1} = 5$$

$$4. \quad 9\frac{1}{2} - 7\frac{1}{2} = \frac{19}{2} - \frac{15}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$5. \quad 7\frac{1}{2} - 5\frac{1}{2} = \frac{15}{2} - \frac{11}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$6. \quad 8\frac{3}{4} - 5\frac{1}{4} = \frac{35}{4} - \frac{21}{4} = \frac{14}{4} = \frac{7}{2} = 3\frac{1}{2}$$

$$7. \quad 3\frac{1}{2} - 1\frac{1}{2} = \frac{7}{2} - \frac{3}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$8. \quad 10\frac{1}{2} - 8\frac{1}{2} = \frac{21}{2} - \frac{17}{2} = \frac{4}{2} = \frac{2}{1} = 2$$

$$9. \quad 7\frac{2}{4} - 4\frac{2}{4} = \frac{30}{4} - \frac{18}{4} = \frac{12}{4} = \frac{3}{1} = 3$$

$$10. \quad 10\frac{3}{7} - 8\frac{3}{7} = \frac{73}{7} - \frac{59}{7} = \frac{14}{7} = \frac{2}{1} = 2$$



## Soustraire Deux Fractions Mixtes (I)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $6\frac{1}{8} - 2\frac{7}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

2.  $5\frac{2}{6} - 2\frac{2}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

3.  $5\frac{1}{2} - 2\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

4.  $9\frac{5}{8} - 3\frac{1}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

5.  $10\frac{1}{3} - 7\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

6.  $7\frac{1}{3} - 2\frac{1}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

7.  $10\frac{1}{2} - 2\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

8.  $5\frac{2}{3} - 3\frac{2}{3} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

9.  $7\frac{4}{6} - 1\frac{4}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

10.  $9\frac{2}{4} - 4\frac{2}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad}$

## Soustraire Deux Fractions Mixtes (I) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 6\frac{1}{8} - 2\frac{7}{8} = \frac{49}{8} - \frac{23}{8} = \frac{26}{8} = \frac{13}{4} = 3\frac{1}{4}$$

$$2. \quad 5\frac{2}{6} - 2\frac{2}{6} = \frac{32}{6} - \frac{14}{6} = \frac{18}{6} = \frac{3}{1} = 3$$

$$3. \quad 5\frac{1}{2} - 2\frac{1}{2} = \frac{11}{2} - \frac{5}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$4. \quad 9\frac{5}{8} - 3\frac{1}{8} = \frac{77}{8} - \frac{25}{8} = \frac{52}{8} = \frac{13}{2} = 6\frac{1}{2}$$

$$5. \quad 10\frac{1}{3} - 7\frac{1}{3} = \frac{31}{3} - \frac{22}{3} = \frac{9}{3} = \frac{3}{1} = 3$$

$$6. \quad 7\frac{1}{3} - 2\frac{1}{3} = \frac{22}{3} - \frac{7}{3} = \frac{15}{3} = \frac{5}{1} = 5$$

$$7. \quad 10\frac{1}{2} - 2\frac{1}{2} = \frac{21}{2} - \frac{5}{2} = \frac{16}{2} = \frac{8}{1} = 8$$

$$8. \quad 5\frac{2}{3} - 3\frac{2}{3} = \frac{17}{3} - \frac{11}{3} = \frac{6}{3} = \frac{2}{1} = 2$$

$$9. \quad 7\frac{4}{6} - 1\frac{4}{6} = \frac{46}{6} - \frac{10}{6} = \frac{36}{6} = \frac{6}{1} = 6$$

$$10. \quad 9\frac{2}{4} - 4\frac{2}{4} = \frac{38}{4} - \frac{18}{4} = \frac{20}{4} = \frac{5}{1} = 5$$

## Soustraire Deux Fractions Mixtes (J)

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

1.  $8\frac{1}{4} - 1\frac{1}{4} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

2.  $9\frac{1}{2} - 6\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

3.  $7\frac{1}{6} - 4\frac{1}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

4.  $10\frac{2}{6} - 2\frac{5}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} =$

5.  $7\frac{6}{8} - 4\frac{6}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

6.  $5\frac{1}{2} - 2\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

7.  $8\frac{1}{2} - 5\frac{1}{2} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

8.  $6\frac{5}{6} - 4\frac{5}{6} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

9.  $6\frac{1}{7} - 2\frac{1}{7} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} =$

10.  $9\frac{7}{8} - 7\frac{3}{8} = \underline{\quad} - \underline{\quad} = \underline{\quad} = \underline{\quad} = \underline{\quad} =$

## Soustraire Deux Fractions Mixtes (J) Réponses

Nom: \_\_\_\_\_

Date: \_\_\_\_\_

Note: \_\_\_\_\_

Calculez chaque différence.

$$1. \quad 8\frac{1}{4} - 1\frac{1}{4} = \frac{33}{4} - \frac{5}{4} = \frac{28}{4} = \frac{7}{1} = 7$$

$$2. \quad 9\frac{1}{2} - 6\frac{1}{2} = \frac{19}{2} - \frac{13}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$3. \quad 7\frac{1}{6} - 4\frac{1}{6} = \frac{43}{6} - \frac{25}{6} = \frac{18}{6} = \frac{3}{1} = 3$$

$$4. \quad 10\frac{2}{6} - 2\frac{5}{6} = \frac{62}{6} - \frac{17}{6} = \frac{45}{6} = \frac{15}{2} = 7\frac{1}{2}$$

$$5. \quad 7\frac{6}{8} - 4\frac{6}{8} = \frac{62}{8} - \frac{38}{8} = \frac{24}{8} = \frac{3}{1} = 3$$

$$6. \quad 5\frac{1}{2} - 2\frac{1}{2} = \frac{11}{2} - \frac{5}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$7. \quad 8\frac{1}{2} - 5\frac{1}{2} = \frac{17}{2} - \frac{11}{2} = \frac{6}{2} = \frac{3}{1} = 3$$

$$8. \quad 6\frac{5}{6} - 4\frac{5}{6} = \frac{41}{6} - \frac{29}{6} = \frac{12}{6} = \frac{2}{1} = 2$$

$$9. \quad 6\frac{1}{7} - 2\frac{1}{7} = \frac{43}{7} - \frac{15}{7} = \frac{28}{7} = \frac{4}{1} = 4$$

$$10. \quad 9\frac{7}{8} - 7\frac{3}{8} = \frac{79}{8} - \frac{59}{8} = \frac{20}{8} = \frac{5}{2} = 2\frac{1}{2}$$