

Ajouter des fractions mixtes négatives (A)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-2\frac{2}{5}\right) + \left(-3\frac{5}{6}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Convert ↑ Denominator Solve Convert ↓

$$2. \left(-3\frac{3}{4}\right) + \left(-4\frac{3}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \left(-5\frac{1}{4}\right) + 2\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \left(-4\frac{2}{3}\right) + 3\frac{1}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \left(-1\frac{1}{4}\right) + \left(-1\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \left(-1\frac{1}{3}\right) + 5\frac{3}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \left(-3\frac{1}{4}\right) + \left(-4\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \left(-3\frac{1}{4}\right) + \left(-3\frac{2}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \left(-2\frac{3}{4}\right) + \left(-3\frac{2}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \left(-4\frac{1}{3}\right) + \frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (A) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-2\frac{2}{5}\right) + \left(-3\frac{5}{6}\right) = \left(-\frac{12}{5}\right) + \left(-\frac{23}{6}\right) = \left(-\frac{72}{30}\right) + \left(-\frac{115}{30}\right) = \left(-\frac{187}{30}\right) = \left(-6\frac{7}{30}\right)$$

$$2. \left(-3\frac{3}{4}\right) + \left(-4\frac{3}{5}\right) = \left(-\frac{15}{4}\right) + \left(-\frac{23}{5}\right) = \left(-\frac{75}{20}\right) + \left(-\frac{92}{20}\right) = \left(-\frac{167}{20}\right) = \left(-8\frac{7}{20}\right)$$

$$3. \left(-5\frac{1}{4}\right) + 2\frac{4}{5} = \left(-\frac{21}{4}\right) + \frac{14}{5} = \left(-\frac{105}{20}\right) + \frac{56}{20} = \left(-\frac{49}{20}\right) = \left(-2\frac{9}{20}\right)$$

$$4. \left(-4\frac{2}{3}\right) + 3\frac{1}{5} = \left(-\frac{14}{3}\right) + \frac{16}{5} = \left(-\frac{70}{15}\right) + \frac{48}{15} = \left(-\frac{22}{15}\right) = \left(-1\frac{7}{15}\right)$$

$$5. \left(-1\frac{1}{4}\right) + \left(-1\frac{2}{3}\right) = \left(-\frac{5}{4}\right) + \left(-\frac{5}{3}\right) = \left(-\frac{15}{12}\right) + \left(-\frac{20}{12}\right) = \left(-\frac{35}{12}\right) = \left(-2\frac{11}{12}\right)$$

$$6. \left(-1\frac{1}{3}\right) + 5\frac{3}{5} = \left(-\frac{4}{3}\right) + \frac{28}{5} = \left(-\frac{20}{15}\right) + \frac{84}{15} = \frac{64}{15} = 4\frac{4}{15}$$

$$7. \left(-3\frac{1}{4}\right) + \left(-4\frac{1}{3}\right) = \left(-\frac{13}{4}\right) + \left(-\frac{13}{3}\right) = \left(-\frac{39}{12}\right) + \left(-\frac{52}{12}\right) = \left(-\frac{91}{12}\right) = \left(-7\frac{7}{12}\right)$$

$$8. \left(-3\frac{1}{4}\right) + \left(-3\frac{2}{5}\right) = \left(-\frac{13}{4}\right) + \left(-\frac{17}{5}\right) = \left(-\frac{65}{20}\right) + \left(-\frac{68}{20}\right) = \left(-\frac{133}{20}\right) = \left(-6\frac{13}{20}\right)$$

$$9. \left(-2\frac{3}{4}\right) + \left(-3\frac{2}{5}\right) = \left(-\frac{11}{4}\right) + \left(-\frac{17}{5}\right) = \left(-\frac{55}{20}\right) + \left(-\frac{68}{20}\right) = \left(-\frac{123}{20}\right) = \left(-6\frac{3}{20}\right)$$

$$10. \left(-4\frac{1}{3}\right) + \frac{1}{2} = \left(-\frac{13}{3}\right) + \frac{1}{2} = \left(-\frac{26}{6}\right) + \frac{3}{6} = \left(-\frac{23}{6}\right) = \left(-3\frac{5}{6}\right)$$

Ajouter des fractions mixtes négatives (B)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-4\frac{1}{4}\right) + \frac{2}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \quad \left(-1\frac{1}{5}\right) + \frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$3. \quad \left(-4\frac{1}{3}\right) + \left(-3\frac{1}{2}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \quad \left(-2\frac{1}{5}\right) + \frac{3}{4} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \quad \left(-5\frac{1}{4}\right) + \left(-3\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \quad \left(-2\frac{4}{5}\right) + \left(-5\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \quad \left(-3\frac{1}{2}\right) + \left(-4\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \quad \left(-4\frac{2}{3}\right) + 5\frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$9. \quad \left(-1\frac{3}{4}\right) + 3\frac{1}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \quad \left(-3\frac{2}{3}\right) + 4\frac{1}{4} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (B) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-4\frac{1}{4}\right) + \frac{2}{3} = \left(-\frac{17}{4}\right) + \frac{2}{3} = \left(-\frac{51}{12}\right) + \frac{8}{12} = \left(-\frac{43}{12}\right) = \left(-3\frac{7}{12}\right)$$

$$2. \quad \left(-1\frac{1}{5}\right) + \frac{1}{2} = \left(-\frac{6}{5}\right) + \frac{1}{2} = \left(-\frac{12}{10}\right) + \frac{5}{10} = \left(-\frac{7}{10}\right)$$

$$3. \quad \left(-4\frac{1}{3}\right) + \left(-3\frac{1}{2}\right) = \left(-\frac{13}{3}\right) + \left(-\frac{7}{2}\right) = \left(-\frac{26}{6}\right) + \left(-\frac{21}{6}\right) = \left(-\frac{47}{6}\right) = \left(-7\frac{5}{6}\right)$$

$$4. \quad \left(-2\frac{1}{5}\right) + \frac{3}{4} = \left(-\frac{11}{5}\right) + \frac{3}{4} = \left(-\frac{44}{20}\right) + \frac{15}{20} = \left(-\frac{29}{20}\right) = \left(-1\frac{9}{20}\right)$$

$$5. \quad \left(-5\frac{1}{4}\right) + \left(-3\frac{2}{3}\right) = \left(-\frac{21}{4}\right) + \left(-\frac{11}{3}\right) = \left(-\frac{63}{12}\right) + \left(-\frac{44}{12}\right) = \left(-\frac{107}{12}\right) = \left(-8\frac{11}{12}\right)$$

$$6. \quad \left(-2\frac{4}{5}\right) + \left(-5\frac{2}{3}\right) = \left(-\frac{14}{5}\right) + \left(-\frac{17}{3}\right) = \left(-\frac{42}{15}\right) + \left(-\frac{85}{15}\right) = \left(-\frac{127}{15}\right) = \left(-8\frac{7}{15}\right)$$

$$7. \quad \left(-3\frac{1}{2}\right) + \left(-4\frac{1}{3}\right) = \left(-\frac{7}{2}\right) + \left(-\frac{13}{3}\right) = \left(-\frac{21}{6}\right) + \left(-\frac{26}{6}\right) = \left(-\frac{47}{6}\right) = \left(-7\frac{5}{6}\right)$$

$$8. \quad \left(-4\frac{2}{3}\right) + 5\frac{2}{5} = \left(-\frac{14}{3}\right) + \frac{27}{5} = \left(-\frac{70}{15}\right) + \frac{81}{15} = \frac{11}{15}$$

$$9. \quad \left(-1\frac{3}{4}\right) + 3\frac{1}{5} = \left(-\frac{7}{4}\right) + \frac{16}{5} = \left(-\frac{35}{20}\right) + \frac{64}{20} = \frac{29}{20} = 1\frac{9}{20}$$

$$10. \quad \left(-3\frac{2}{3}\right) + 4\frac{1}{4} = \left(-\frac{11}{3}\right) + \frac{17}{4} = \left(-\frac{44}{12}\right) + \frac{51}{12} = \frac{7}{12}$$

Ajouter des fractions mixtes négatives (C)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-1\frac{2}{3}\right) + \left(-3\frac{1}{2}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \left(-1\frac{1}{2}\right) + \frac{1}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \left(-3\frac{5}{6}\right) + \left(-1\frac{3}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \left(-1\frac{1}{3}\right) + 2\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \left(-4\frac{2}{3}\right) + \frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \left(-3\frac{3}{4}\right) + \left(-2\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \left(-3\frac{1}{3}\right) + \left(-4\frac{1}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \left(-5\frac{1}{5}\right) + \left(-1\frac{1}{2}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \left(-2\frac{2}{3}\right) + 5\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \left(-1\frac{1}{2}\right) + 2\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (C) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-1\frac{2}{3}\right) + \left(-3\frac{1}{2}\right) = \left(-\frac{5}{3}\right) + \left(-\frac{7}{2}\right) = \left(-\frac{10}{6}\right) + \left(-\frac{21}{6}\right) = \left(-\frac{31}{6}\right) = \left(-5\frac{1}{6}\right)$$

$$2. \left(-1\frac{1}{2}\right) + \frac{1}{3} = \left(-\frac{3}{2}\right) + \frac{1}{3} = \left(-\frac{9}{6}\right) + \frac{2}{6} = \left(-\frac{7}{6}\right) = \left(-1\frac{1}{6}\right)$$

$$3. \left(-3\frac{5}{6}\right) + \left(-1\frac{3}{5}\right) = \left(-\frac{23}{6}\right) + \left(-\frac{8}{5}\right) = \left(-\frac{115}{30}\right) + \left(-\frac{48}{30}\right) = \left(-\frac{163}{30}\right) = \left(-5\frac{13}{30}\right)$$

$$4. \left(-1\frac{1}{3}\right) + 2\frac{1}{2} = \left(-\frac{4}{3}\right) + \frac{5}{2} = \left(-\frac{8}{6}\right) + \frac{15}{6} = \frac{7}{6} = 1\frac{1}{6}$$

$$5. \left(-4\frac{2}{3}\right) + \frac{4}{5} = \left(-\frac{14}{3}\right) + \frac{4}{5} = \left(-\frac{70}{15}\right) + \frac{12}{15} = \left(-\frac{58}{15}\right) = \left(-3\frac{13}{15}\right)$$

$$6. \left(-3\frac{3}{4}\right) + \left(-2\frac{2}{3}\right) = \left(-\frac{15}{4}\right) + \left(-\frac{8}{3}\right) = \left(-\frac{45}{12}\right) + \left(-\frac{32}{12}\right) = \left(-\frac{77}{12}\right) = \left(-6\frac{5}{12}\right)$$

$$7. \left(-3\frac{1}{3}\right) + \left(-4\frac{1}{5}\right) = \left(-\frac{10}{3}\right) + \left(-\frac{21}{5}\right) = \left(-\frac{50}{15}\right) + \left(-\frac{63}{15}\right) = \left(-\frac{113}{15}\right) = \left(-7\frac{8}{15}\right)$$

$$8. \left(-5\frac{1}{5}\right) + \left(-1\frac{1}{2}\right) = \left(-\frac{26}{5}\right) + \left(-\frac{3}{2}\right) = \left(-\frac{52}{10}\right) + \left(-\frac{15}{10}\right) = \left(-\frac{67}{10}\right) = \left(-6\frac{7}{10}\right)$$

$$9. \left(-2\frac{2}{3}\right) + 5\frac{1}{2} = \left(-\frac{8}{3}\right) + \frac{11}{2} = \left(-\frac{16}{6}\right) + \frac{33}{6} = \frac{17}{6} = 2\frac{5}{6}$$

$$10. \left(-1\frac{1}{2}\right) + 2\frac{4}{5} = \left(-\frac{3}{2}\right) + \frac{14}{5} = \left(-\frac{15}{10}\right) + \frac{28}{10} = \frac{13}{10} = 1\frac{3}{10}$$

Ajouter des fractions mixtes négatives (D)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-1\frac{1}{2}\right) + 4\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \quad \left(-4\frac{3}{5}\right) + \left(-1\frac{5}{6}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \quad \left(-1\frac{1}{2}\right) + \left(-2\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \quad \left(-5\frac{1}{3}\right) + 5\frac{3}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$5. \quad \left(-1\frac{3}{4}\right) + \frac{2}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \quad \left(-4\frac{3}{4}\right) + \frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \quad \left(-2\frac{1}{4}\right) + \left(-1\frac{4}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \quad \left(-4\frac{1}{2}\right) + \frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \quad \left(-4\frac{1}{4}\right) + 3\frac{3}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$10. \quad \left(-3\frac{1}{3}\right) + 2\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (D) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-1\frac{1}{2}\right) + 4\frac{4}{5} = \left(-\frac{3}{2}\right) + \frac{24}{5} = \left(-\frac{15}{10}\right) + \frac{48}{10} = \frac{33}{10} = 3\frac{3}{10}$$

$$2. \quad \left(-4\frac{3}{5}\right) + \left(-1\frac{5}{6}\right) = \left(-\frac{23}{5}\right) + \left(-\frac{11}{6}\right) = \left(-\frac{138}{30}\right) + \left(-\frac{55}{30}\right) = \left(-\frac{193}{30}\right) = \left(-6\frac{13}{30}\right)$$

$$3. \quad \left(-1\frac{1}{2}\right) + \left(-2\frac{2}{3}\right) = \left(-\frac{3}{2}\right) + \left(-\frac{8}{3}\right) = \left(-\frac{9}{6}\right) + \left(-\frac{16}{6}\right) = \left(-\frac{25}{6}\right) = \left(-4\frac{1}{6}\right)$$

$$4. \quad \left(-5\frac{1}{3}\right) + 5\frac{3}{5} = \left(-\frac{16}{3}\right) + \frac{28}{5} = \left(-\frac{80}{15}\right) + \frac{84}{15} = \frac{4}{15}$$

$$5. \quad \left(-1\frac{3}{4}\right) + \frac{2}{3} = \left(-\frac{7}{4}\right) + \frac{2}{3} = \left(-\frac{21}{12}\right) + \frac{8}{12} = \left(-\frac{13}{12}\right) = \left(-1\frac{1}{12}\right)$$

$$6. \quad \left(-4\frac{3}{4}\right) + \frac{2}{5} = \left(-\frac{19}{4}\right) + \frac{2}{5} = \left(-\frac{95}{20}\right) + \frac{8}{20} = \left(-\frac{87}{20}\right) = \left(-4\frac{7}{20}\right)$$

$$7. \quad \left(-2\frac{1}{4}\right) + \left(-1\frac{4}{5}\right) = \left(-\frac{9}{4}\right) + \left(-\frac{9}{5}\right) = \left(-\frac{45}{20}\right) + \left(-\frac{36}{20}\right) = \left(-\frac{81}{20}\right) = \left(-4\frac{1}{20}\right)$$

$$8. \quad \left(-4\frac{1}{2}\right) + \frac{2}{5} = \left(-\frac{9}{2}\right) + \frac{2}{5} = \left(-\frac{45}{10}\right) + \frac{4}{10} = \left(-\frac{41}{10}\right) = \left(-4\frac{1}{10}\right)$$

$$9. \quad \left(-4\frac{1}{4}\right) + 3\frac{3}{5} = \left(-\frac{17}{4}\right) + \frac{18}{5} = \left(-\frac{85}{20}\right) + \frac{72}{20} = \left(-\frac{13}{20}\right)$$

$$10. \quad \left(-3\frac{1}{3}\right) + 2\frac{1}{2} = \left(-\frac{10}{3}\right) + \frac{5}{2} = \left(-\frac{20}{6}\right) + \frac{15}{6} = \left(-\frac{5}{6}\right)$$

Ajouter des fractions mixtes négatives (E)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-4\frac{2}{3}\right) + \left(-1\frac{3}{4}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \left(-4\frac{1}{6}\right) + \left(-1\frac{3}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \left(-5\frac{3}{5}\right) + 2\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \left(-5\frac{1}{3}\right) + 5\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$5. \left(-3\frac{1}{4}\right) + 5\frac{1}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \left(-1\frac{1}{2}\right) + 1\frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$7. \left(-4\frac{2}{3}\right) + \frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \left(-1\frac{1}{2}\right) + \left(-4\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \left(-1\frac{1}{6}\right) + 2\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \left(-1\frac{4}{5}\right) + \left(-3\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (E) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-4\frac{2}{3}\right) + \left(-1\frac{3}{4}\right) = \left(-\frac{14}{3}\right) + \left(-\frac{7}{4}\right) = \left(-\frac{56}{12}\right) + \left(-\frac{21}{12}\right) = \left(-\frac{77}{12}\right) = \left(-6\frac{5}{12}\right)$$

$$2. \left(-4\frac{1}{6}\right) + \left(-1\frac{3}{5}\right) = \left(-\frac{25}{6}\right) + \left(-\frac{8}{5}\right) = \left(-\frac{125}{30}\right) + \left(-\frac{48}{30}\right) = \left(-\frac{173}{30}\right) = \left(-5\frac{23}{30}\right)$$

$$3. \left(-5\frac{3}{5}\right) + 2\frac{1}{2} = \left(-\frac{28}{5}\right) + \frac{5}{2} = \left(-\frac{56}{10}\right) + \frac{25}{10} = \left(-\frac{31}{10}\right) = \left(-3\frac{1}{10}\right)$$

$$4. \left(-5\frac{1}{3}\right) + 5\frac{4}{5} = \left(-\frac{16}{3}\right) + \frac{29}{5} = \left(-\frac{80}{15}\right) + \frac{87}{15} = \frac{7}{15}$$

$$5. \left(-3\frac{1}{4}\right) + 5\frac{1}{5} = \left(-\frac{13}{4}\right) + \frac{26}{5} = \left(-\frac{65}{20}\right) + \frac{104}{20} = \frac{39}{20} = 1\frac{19}{20}$$

$$6. \left(-1\frac{1}{2}\right) + 1\frac{2}{5} = \left(-\frac{3}{2}\right) + \frac{7}{5} = \left(-\frac{15}{10}\right) + \frac{14}{10} = \left(-\frac{1}{10}\right)$$

$$7. \left(-4\frac{2}{3}\right) + \frac{1}{2} = \left(-\frac{14}{3}\right) + \frac{1}{2} = \left(-\frac{28}{6}\right) + \frac{3}{6} = \left(-\frac{25}{6}\right) = \left(-4\frac{1}{6}\right)$$

$$8. \left(-1\frac{1}{2}\right) + \left(-4\frac{2}{3}\right) = \left(-\frac{3}{2}\right) + \left(-\frac{14}{3}\right) = \left(-\frac{9}{6}\right) + \left(-\frac{28}{6}\right) = \left(-\frac{37}{6}\right) = \left(-6\frac{1}{6}\right)$$

$$9. \left(-1\frac{1}{6}\right) + 2\frac{4}{5} = \left(-\frac{7}{6}\right) + \frac{14}{5} = \left(-\frac{35}{30}\right) + \frac{84}{30} = \frac{49}{30} = 1\frac{19}{30}$$

$$10. \left(-1\frac{4}{5}\right) + \left(-3\frac{1}{3}\right) = \left(-\frac{9}{5}\right) + \left(-\frac{10}{3}\right) = \left(-\frac{27}{15}\right) + \left(-\frac{50}{15}\right) = \left(-\frac{77}{15}\right) = \left(-5\frac{2}{15}\right)$$

Ajouter des fractions mixtes négatives (F)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-3\frac{1}{3}\right) + \left(-4\frac{4}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \left(-5\frac{2}{5}\right) + \left(-1\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \left(-3\frac{1}{2}\right) + \left(-4\frac{3}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \left(-2\frac{1}{4}\right) + \left(-2\frac{1}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \left(-2\frac{2}{3}\right) + \left(-3\frac{4}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \left(-4\frac{2}{3}\right) + \frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \left(-4\frac{3}{4}\right) + \frac{2}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \left(-5\frac{1}{4}\right) + \left(-1\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \left(-5\frac{1}{2}\right) + 4\frac{2}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$10. \left(-3\frac{1}{5}\right) + \left(-1\frac{1}{2}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (F) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-3\frac{1}{3}\right) + \left(-4\frac{4}{5}\right) = \left(-\frac{10}{3}\right) + \left(-\frac{24}{5}\right) = \left(-\frac{50}{15}\right) + \left(-\frac{72}{15}\right) = \left(-\frac{122}{15}\right) = \left(-8\frac{2}{15}\right)$$

$$2. \left(-5\frac{2}{5}\right) + \left(-1\frac{1}{3}\right) = \left(-\frac{27}{5}\right) + \left(-\frac{4}{3}\right) = \left(-\frac{81}{15}\right) + \left(-\frac{20}{15}\right) = \left(-\frac{101}{15}\right) = \left(-6\frac{11}{15}\right)$$

$$3. \left(-3\frac{1}{2}\right) + \left(-4\frac{3}{5}\right) = \left(-\frac{7}{2}\right) + \left(-\frac{23}{5}\right) = \left(-\frac{35}{10}\right) + \left(-\frac{46}{10}\right) = \left(-\frac{81}{10}\right) = \left(-8\frac{1}{10}\right)$$

$$4. \left(-2\frac{1}{4}\right) + \left(-2\frac{1}{5}\right) = \left(-\frac{9}{4}\right) + \left(-\frac{11}{5}\right) = \left(-\frac{45}{20}\right) + \left(-\frac{44}{20}\right) = \left(-\frac{89}{20}\right) = \left(-4\frac{9}{20}\right)$$

$$5. \left(-2\frac{2}{3}\right) + \left(-3\frac{4}{5}\right) = \left(-\frac{8}{3}\right) + \left(-\frac{19}{5}\right) = \left(-\frac{40}{15}\right) + \left(-\frac{57}{15}\right) = \left(-\frac{97}{15}\right) = \left(-6\frac{7}{15}\right)$$

$$6. \left(-4\frac{2}{3}\right) + \frac{1}{2} = \left(-\frac{14}{3}\right) + \frac{1}{2} = \left(-\frac{28}{6}\right) + \frac{3}{6} = \left(-\frac{25}{6}\right) = \left(-4\frac{1}{6}\right)$$

$$7. \left(-4\frac{3}{4}\right) + \frac{2}{3} = \left(-\frac{19}{4}\right) + \frac{2}{3} = \left(-\frac{57}{12}\right) + \frac{8}{12} = \left(-\frac{49}{12}\right) = \left(-4\frac{1}{12}\right)$$

$$8. \left(-5\frac{1}{4}\right) + \left(-1\frac{1}{3}\right) = \left(-\frac{21}{4}\right) + \left(-\frac{4}{3}\right) = \left(-\frac{63}{12}\right) + \left(-\frac{16}{12}\right) = \left(-\frac{79}{12}\right) = \left(-6\frac{7}{12}\right)$$

$$9. \left(-5\frac{1}{2}\right) + 4\frac{2}{3} = \left(-\frac{11}{2}\right) + \frac{14}{3} = \left(-\frac{33}{6}\right) + \frac{28}{6} = \left(-\frac{5}{6}\right)$$

$$10. \left(-3\frac{1}{5}\right) + \left(-1\frac{1}{2}\right) = \left(-\frac{16}{5}\right) + \left(-\frac{3}{2}\right) = \left(-\frac{32}{10}\right) + \left(-\frac{15}{10}\right) = \left(-\frac{47}{10}\right) = \left(-4\frac{7}{10}\right)$$

Ajouter des fractions mixtes négatives (G)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-3\frac{4}{5}\right) + 5\frac{1}{4} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \quad \left(-2\frac{1}{2}\right) + \frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \quad \left(-1\frac{1}{4}\right) + 2\frac{3}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \quad \left(-1\frac{1}{2}\right) + \left(-5\frac{3}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \quad \left(-1\frac{3}{4}\right) + \left(-4\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \quad \left(-5\frac{1}{4}\right) + \left(-3\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \quad \left(-4\frac{1}{3}\right) + 5\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \quad \left(-1\frac{3}{4}\right) + 5\frac{1}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \quad \left(-2\frac{4}{5}\right) + \left(-3\frac{5}{6}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \quad \left(-1\frac{2}{3}\right) + 2\frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (G) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-3\frac{4}{5}\right) + 5\frac{1}{4} = \left(-\frac{19}{5}\right) + \frac{21}{4} = \left(-\frac{76}{20}\right) + \frac{105}{20} = \frac{29}{20} = 1\frac{9}{20}$$

$$2. \quad \left(-2\frac{1}{2}\right) + \frac{4}{5} = \left(-\frac{5}{2}\right) + \frac{4}{5} = \left(-\frac{25}{10}\right) + \frac{8}{10} = \left(-\frac{17}{10}\right) = \left(-1\frac{7}{10}\right)$$

$$3. \quad \left(-1\frac{1}{4}\right) + 2\frac{3}{5} = \left(-\frac{5}{4}\right) + \frac{13}{5} = \left(-\frac{25}{20}\right) + \frac{52}{20} = \frac{27}{20} = 1\frac{7}{20}$$

$$4. \quad \left(-1\frac{1}{2}\right) + \left(-5\frac{3}{5}\right) = \left(-\frac{3}{2}\right) + \left(-\frac{28}{5}\right) = \left(-\frac{15}{10}\right) + \left(-\frac{56}{10}\right) = \left(-\frac{71}{10}\right) = \left(-7\frac{1}{10}\right)$$

$$5. \quad \left(-1\frac{3}{4}\right) + \left(-4\frac{2}{3}\right) = \left(-\frac{7}{4}\right) + \left(-\frac{14}{3}\right) = \left(-\frac{21}{12}\right) + \left(-\frac{56}{12}\right) = \left(-\frac{77}{12}\right) = \left(-6\frac{5}{12}\right)$$

$$6. \quad \left(-5\frac{1}{4}\right) + \left(-3\frac{1}{3}\right) = \left(-\frac{21}{4}\right) + \left(-\frac{10}{3}\right) = \left(-\frac{63}{12}\right) + \left(-\frac{40}{12}\right) = \left(-\frac{103}{12}\right) = \left(-8\frac{7}{12}\right)$$

$$7. \quad \left(-4\frac{1}{3}\right) + 5\frac{1}{2} = \left(-\frac{13}{3}\right) + \frac{11}{2} = \left(-\frac{26}{6}\right) + \frac{33}{6} = \frac{7}{6} = 1\frac{1}{6}$$

$$8. \quad \left(-1\frac{3}{4}\right) + 5\frac{1}{3} = \left(-\frac{7}{4}\right) + \frac{16}{3} = \left(-\frac{21}{12}\right) + \frac{64}{12} = \frac{43}{12} = 3\frac{7}{12}$$

$$9. \quad \left(-2\frac{4}{5}\right) + \left(-3\frac{5}{6}\right) = \left(-\frac{14}{5}\right) + \left(-\frac{23}{6}\right) = \left(-\frac{84}{30}\right) + \left(-\frac{115}{30}\right) = \left(-\frac{199}{30}\right) = \left(-6\frac{19}{30}\right)$$

$$10. \quad \left(-1\frac{2}{3}\right) + 2\frac{2}{5} = \left(-\frac{5}{3}\right) + \frac{12}{5} = \left(-\frac{25}{15}\right) + \frac{36}{15} = \frac{11}{15}$$

Ajouter des fractions mixtes négatives (H)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-4\frac{3}{4}\right) + \left(-3\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \left(-5\frac{1}{4}\right) + 1\frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \left(-4\frac{1}{5}\right) + 1\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \left(-2\frac{1}{2}\right) + \frac{1}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \left(-4\frac{1}{2}\right) + \left(-3\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \left(-1\frac{1}{3}\right) + \left(-2\frac{1}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \left(-3\frac{1}{4}\right) + \left(-2\frac{2}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \left(-4\frac{3}{4}\right) + \left(-2\frac{3}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \left(-5\frac{1}{2}\right) + 2\frac{1}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \left(-2\frac{1}{3}\right) + \frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (H) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-4\frac{3}{4}\right) + \left(-3\frac{2}{3}\right) = \left(-\frac{19}{4}\right) + \left(-\frac{11}{3}\right) = \left(-\frac{57}{12}\right) + \left(-\frac{44}{12}\right) = \left(-\frac{101}{12}\right) = \left(-8\frac{5}{12}\right)$$

$$2. \left(-5\frac{1}{4}\right) + 1\frac{2}{5} = \left(-\frac{21}{4}\right) + \frac{7}{5} = \left(-\frac{105}{20}\right) + \frac{28}{20} = \left(-\frac{77}{20}\right) = \left(-3\frac{17}{20}\right)$$

$$3. \left(-4\frac{1}{5}\right) + 1\frac{1}{2} = \left(-\frac{21}{5}\right) + \frac{3}{2} = \left(-\frac{42}{10}\right) + \frac{15}{10} = \left(-\frac{27}{10}\right) = \left(-2\frac{7}{10}\right)$$

$$4. \left(-2\frac{1}{2}\right) + \frac{1}{3} = \left(-\frac{5}{2}\right) + \frac{1}{3} = \left(-\frac{15}{6}\right) + \frac{2}{6} = \left(-\frac{13}{6}\right) = \left(-2\frac{1}{6}\right)$$

$$5. \left(-4\frac{1}{2}\right) + \left(-3\frac{1}{3}\right) = \left(-\frac{9}{2}\right) + \left(-\frac{10}{3}\right) = \left(-\frac{27}{6}\right) + \left(-\frac{20}{6}\right) = \left(-\frac{47}{6}\right) = \left(-7\frac{5}{6}\right)$$

$$6. \left(-1\frac{1}{3}\right) + \left(-2\frac{1}{5}\right) = \left(-\frac{4}{3}\right) + \left(-\frac{11}{5}\right) = \left(-\frac{20}{15}\right) + \left(-\frac{33}{15}\right) = \left(-\frac{53}{15}\right) = \left(-3\frac{8}{15}\right)$$

$$7. \left(-3\frac{1}{4}\right) + \left(-2\frac{2}{5}\right) = \left(-\frac{13}{4}\right) + \left(-\frac{12}{5}\right) = \left(-\frac{65}{20}\right) + \left(-\frac{48}{20}\right) = \left(-\frac{113}{20}\right) = \left(-5\frac{13}{20}\right)$$

$$8. \left(-4\frac{3}{4}\right) + \left(-2\frac{3}{5}\right) = \left(-\frac{19}{4}\right) + \left(-\frac{13}{5}\right) = \left(-\frac{95}{20}\right) + \left(-\frac{52}{20}\right) = \left(-\frac{147}{20}\right) = \left(-7\frac{7}{20}\right)$$

$$9. \left(-5\frac{1}{2}\right) + 2\frac{1}{5} = \left(-\frac{11}{2}\right) + \frac{11}{5} = \left(-\frac{55}{10}\right) + \frac{22}{10} = \left(-\frac{33}{10}\right) = \left(-3\frac{3}{10}\right)$$

$$10. \left(-2\frac{1}{3}\right) + \frac{1}{2} = \left(-\frac{7}{3}\right) + \frac{1}{2} = \left(-\frac{14}{6}\right) + \frac{3}{6} = \left(-\frac{11}{6}\right) = \left(-1\frac{5}{6}\right)$$

Ajouter des fractions mixtes négatives (I)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-2\frac{1}{4}\right) + \left(-2\frac{3}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \left(-2\frac{1}{6}\right) + 3\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \left(-3\frac{1}{2}\right) + 1\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \left(-2\frac{3}{5}\right) + 1\frac{1}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \left(-5\frac{1}{2}\right) + \left(-3\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \left(-3\frac{5}{6}\right) + \left(-1\frac{4}{5}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$7. \left(-1\frac{1}{2}\right) + \left(-2\frac{2}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$8. \left(-3\frac{2}{5}\right) + \left(-4\frac{1}{2}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$9. \left(-3\frac{2}{3}\right) + \frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$10. \left(-5\frac{1}{4}\right) + 3\frac{1}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (I) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \left(-2\frac{1}{4}\right) + \left(-2\frac{3}{5}\right) = \left(-\frac{9}{4}\right) + \left(-\frac{13}{5}\right) = \left(-\frac{45}{20}\right) + \left(-\frac{52}{20}\right) = \left(-\frac{97}{20}\right) = \left(-4\frac{17}{20}\right)$$

$$2. \left(-2\frac{1}{6}\right) + 3\frac{4}{5} = \left(-\frac{13}{6}\right) + \frac{19}{5} = \left(-\frac{65}{30}\right) + \frac{114}{30} = \frac{49}{30} = 1\frac{19}{30}$$

$$3. \left(-3\frac{1}{2}\right) + 1\frac{4}{5} = \left(-\frac{7}{2}\right) + \frac{9}{5} = \left(-\frac{35}{10}\right) + \frac{18}{10} = \left(-\frac{17}{10}\right) = \left(-1\frac{7}{10}\right)$$

$$4. \left(-2\frac{3}{5}\right) + 1\frac{1}{3} = \left(-\frac{13}{5}\right) + \frac{4}{3} = \left(-\frac{39}{15}\right) + \frac{20}{15} = \left(-\frac{19}{15}\right) = \left(-1\frac{4}{15}\right)$$

$$5. \left(-5\frac{1}{2}\right) + \left(-3\frac{1}{3}\right) = \left(-\frac{11}{2}\right) + \left(-\frac{10}{3}\right) = \left(-\frac{33}{6}\right) + \left(-\frac{20}{6}\right) = \left(-\frac{53}{6}\right) = \left(-8\frac{5}{6}\right)$$

$$6. \left(-3\frac{5}{6}\right) + \left(-1\frac{4}{5}\right) = \left(-\frac{23}{6}\right) + \left(-\frac{9}{5}\right) = \left(-\frac{115}{30}\right) + \left(-\frac{54}{30}\right) = \left(-\frac{169}{30}\right) = \left(-5\frac{19}{30}\right)$$

$$7. \left(-1\frac{1}{2}\right) + \left(-2\frac{2}{3}\right) = \left(-\frac{3}{2}\right) + \left(-\frac{8}{3}\right) = \left(-\frac{9}{6}\right) + \left(-\frac{16}{6}\right) = \left(-\frac{25}{6}\right) = \left(-4\frac{1}{6}\right)$$

$$8. \left(-3\frac{2}{5}\right) + \left(-4\frac{1}{2}\right) = \left(-\frac{17}{5}\right) + \left(-\frac{9}{2}\right) = \left(-\frac{34}{10}\right) + \left(-\frac{45}{10}\right) = \left(-\frac{79}{10}\right) = \left(-7\frac{9}{10}\right)$$

$$9. \left(-3\frac{2}{3}\right) + \frac{1}{2} = \left(-\frac{11}{3}\right) + \frac{1}{2} = \left(-\frac{22}{6}\right) + \frac{3}{6} = \left(-\frac{19}{6}\right) = \left(-3\frac{1}{6}\right)$$

$$10. \left(-5\frac{1}{4}\right) + 3\frac{1}{3} = \left(-\frac{21}{4}\right) + \frac{10}{3} = \left(-\frac{63}{12}\right) + \frac{40}{12} = \left(-\frac{23}{12}\right) = \left(-1\frac{11}{12}\right)$$

Ajouter des fractions mixtes négatives (J)

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-4\frac{5}{6}\right) + 3\frac{2}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$2. \quad \left(-3\frac{1}{4}\right) + \left(-5\frac{1}{3}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$3. \quad \left(-2\frac{4}{5}\right) + 1\frac{2}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$4. \quad \left(-4\frac{1}{2}\right) + \frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$5. \quad \left(-2\frac{1}{3}\right) + \left(-1\frac{3}{4}\right) = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

$$6. \quad \left(-3\frac{1}{3}\right) + 3\frac{3}{4} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$7. \quad \left(-2\frac{1}{6}\right) + 1\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$8. \quad \left(-1\frac{3}{4}\right) + 1\frac{2}{3} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$9. \quad \left(-2\frac{5}{6}\right) + 3\frac{4}{5} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---}$$

$$10. \quad \left(-3\frac{1}{3}\right) + 5\frac{1}{2} = \text{---} + \text{---} = \text{---} + \text{---} = \text{---} = \text{---}$$

Ajouter des fractions mixtes négatives (J) Réponses

Nom: _____

Date: _____

Note: _____

Calculez chaque somme.

$$1. \quad \left(-4\frac{5}{6}\right) + 3\frac{2}{5} = \left(-\frac{29}{6}\right) + \frac{17}{5} = \left(-\frac{145}{30}\right) + \frac{102}{30} = \left(-\frac{43}{30}\right) = \left(-1\frac{13}{30}\right)$$

$$2. \quad \left(-3\frac{1}{4}\right) + \left(-5\frac{1}{3}\right) = \left(-\frac{13}{4}\right) + \left(-\frac{16}{3}\right) = \left(-\frac{39}{12}\right) + \left(-\frac{64}{12}\right) = \left(-\frac{103}{12}\right) = \left(-8\frac{7}{12}\right)$$

$$3. \quad \left(-2\frac{4}{5}\right) + 1\frac{2}{3} = \left(-\frac{14}{5}\right) + \frac{5}{3} = \left(-\frac{42}{15}\right) + \frac{25}{15} = \left(-\frac{17}{15}\right) = \left(-1\frac{2}{15}\right)$$

$$4. \quad \left(-4\frac{1}{2}\right) + \frac{4}{5} = \left(-\frac{9}{2}\right) + \frac{4}{5} = \left(-\frac{45}{10}\right) + \frac{8}{10} = \left(-\frac{37}{10}\right) = \left(-3\frac{7}{10}\right)$$

$$5. \quad \left(-2\frac{1}{3}\right) + \left(-1\frac{3}{4}\right) = \left(-\frac{7}{3}\right) + \left(-\frac{7}{4}\right) = \left(-\frac{28}{12}\right) + \left(-\frac{21}{12}\right) = \left(-\frac{49}{12}\right) = \left(-4\frac{1}{12}\right)$$

$$6. \quad \left(-3\frac{1}{3}\right) + 3\frac{3}{4} = \left(-\frac{10}{3}\right) + \frac{15}{4} = \left(-\frac{40}{12}\right) + \frac{45}{12} = \frac{5}{12}$$

$$7. \quad \left(-2\frac{1}{6}\right) + 1\frac{4}{5} = \left(-\frac{13}{6}\right) + \frac{9}{5} = \left(-\frac{65}{30}\right) + \frac{54}{30} = \left(-\frac{11}{30}\right)$$

$$8. \quad \left(-1\frac{3}{4}\right) + 1\frac{2}{3} = \left(-\frac{7}{4}\right) + \frac{5}{3} = \left(-\frac{21}{12}\right) + \frac{20}{12} = \left(-\frac{1}{12}\right)$$

$$9. \quad \left(-2\frac{5}{6}\right) + 3\frac{4}{5} = \left(-\frac{17}{6}\right) + \frac{19}{5} = \left(-\frac{85}{30}\right) + \frac{114}{30} = \frac{29}{30}$$

$$10. \quad \left(-3\frac{1}{3}\right) + 5\frac{1}{2} = \left(-\frac{10}{3}\right) + \frac{11}{2} = \left(-\frac{20}{6}\right) + \frac{33}{6} = \frac{13}{6} = 2\frac{1}{6}$$