## Multiplier des fractions propres négatives (E)

Nom:	Date:	Note:

Calculez chaque produit.

1. 
$$\left(-\frac{4}{5}\right) \times \left(-\frac{1}{4}\right) = --- = ---$$

$$2. \qquad \frac{2}{3} \times \left(-\frac{1}{3}\right) = --$$

3. 
$$\left(-\frac{1}{3}\right) \times \left(-\frac{1}{6}\right) = -$$

4. 
$$\left(-\frac{1}{3}\right) \times \left(-\frac{1}{3}\right) = -$$

5. 
$$\left(-\frac{1}{2}\right) \times \left(-\frac{4}{5}\right) = --- = ---$$

6. 
$$\left(-\frac{1}{2}\right) \times \frac{5}{6} = -$$

$$7. \quad \left(-\frac{2}{5}\right) \times \frac{4}{5} = --$$

8. 
$$\left(-\frac{1}{6}\right) \times \left(-\frac{3}{4}\right) = --- = --$$

9. 
$$\left(-\frac{2}{5}\right) \times \frac{5}{6} = --- = ---$$

10. 
$$\left(-\frac{2}{3}\right) \times \frac{1}{4} = --- = ---$$

## Multiplier des fractions propres négatives (E) Réponses

Nom: \_\_\_\_\_ Date: \_\_\_\_ Note: \_\_\_\_

Calculez chaque produit.

1. 
$$\left(-\frac{4}{5}\right) \times \left(-\frac{1}{4}\right) = \frac{4}{20} = \frac{1}{5}$$

$$2. \qquad \frac{2}{3} \times \left(-\frac{1}{3}\right) \quad = \quad \left(-\frac{2}{9}\right)$$

3. 
$$\left(-\frac{1}{3}\right) \times \left(-\frac{1}{6}\right) = \frac{1}{18}$$

4. 
$$\left(-\frac{1}{3}\right) \times \left(-\frac{1}{3}\right) = \frac{1}{9}$$

5. 
$$\left(-\frac{1}{2}\right) \times \left(-\frac{4}{5}\right) = \frac{4}{10} = \frac{2}{5}$$

6. 
$$\left(-\frac{1}{2}\right) \times \frac{5}{6} = \left(-\frac{5}{12}\right)$$

$$7. \quad \left(-\frac{2}{5}\right) \times \frac{4}{5} = \left(-\frac{8}{25}\right)$$

8. 
$$\left(-\frac{1}{6}\right) \times \left(-\frac{3}{4}\right) = \frac{3}{24} = \frac{1}{8}$$

9. 
$$\left(-\frac{2}{5}\right) \times \frac{5}{6} = \left(-\frac{10}{30}\right) = \left(-\frac{1}{3}\right)$$

10. 
$$\left(-\frac{2}{3}\right) \times \frac{1}{4} = \left(-\frac{2}{12}\right) = \left(-\frac{1}{6}\right)$$